


WING PRO

ZRAČNE ZAVJESE ZA
PROFESIONALCE



Energetski učinkovite

EC motor troši čak 40% manje električne energije i omogućuje BMS izravnu vezu.



Snaga

Široka struja zraka, domet do **8 metara**, snaga do 88 kW.



Instalacija

Mogućnost vertikalne ili vodoravne montaže plus jednostavno spajanje jedinice.



Cijena

Inteligentni dizajn sa nikad prije viđenom izvedbom dostupan po konkurentnoj cijeni.



Paleta proizvoda

WING PRO WR2

DVOREDNI GRIJAČI

SNAGA GRIJANJA:
17 - 88 kW
PROTOK ZRAKA:
7 300 - 10 700 m³/h
MAKISMALNI DOMET STRUJE ZRAKA:
7 m

WING PRO 200



2072 mm

WING PRO WR1

JEDNOREDNI GRIJAČI

SNAGA GRIJANJA
9 - 48 kW
PROTOK ZRAKA:
7 900 - 11 900 m³/h
MAKISMALNI DOMET STRUJE ZRAKA:
7,5 m

WING PRO 150



1556 mm

WING PRO C


BEZ GRIJAČA (AMBIJENTALNA)

PROTOK ZRAKA:
8 500 - 12 800 m³/h
MAKISMALNI DOMET STRUJE
ZRAKA:
8 m


EC



VODORAVNA INSTALACIJA




VERTIKALNA INSTALACIJA



Set za konekciju i instalaciju uključen.

Domestruje zraka



Tehnički parametri

PARAMETRI		WING PRO DOUBLE ROW COIL		WING PRO SINGLE ROW COIL		WITHOUT HEATING (AMBIENT)	
		W150	W200	W150	W200	C150	C200
		EC	EC	EC	EC	EC	EC
VTS kat. br..		1-4-2801-0349	1-4-2801-0355	1-4-2801-0348	1-4-2801-0354	1-4-2801-0347	1-4-2801-0353
Maks širina vrata	m	1,5	2	1,5	2	1,5	2
Maks domet struje zraka	m	7		7,5		8	
Maks protok zraka	m³/h	7 300	10 700	7 900	11 900	8 500	12 800
Opseg snage grijanja	kW	17-58	28-88	3-32	15-48	-	
Maks temperatura medija grijanja	°C	130				-	
Maks radni pritisak	MPa	1,6				-	
Prečnik konekcija za cijevi	"	3/4				-	
Napon napajanja	V/ph/Hz	~230/1/50					
Snaga EC motora	kW	2 x 0,25	3 x 0,25	2 x 0,25	3 x 0,25	2 x 0,25	3 x 0,25
Deklarisana snaga (EC motor)	A	2 x 1,3	3 x 1,3	2 x 1,3	3 x 1,3	2 x 1,3	3 x 1,3
Težina AC/EC (bez vode)	kg	53,6	69,6	50,5	66,1	43,4	58,3
Stepen zaštite IP	IP	54					



Dodatna oprema

					
HMI WING EC kontrolor	kontrolor WING EC WIFI	Prekidač vrata-senzor (reed switch)	Ventil sa aktivatorom	Fleksibilna crijeva za konekciju	Kutija za instalaciju HMI kontrolora
VTS kat. br.. 1-4-2801-0155	VTS kat. br.. 1-4-2801-0156	VTS kat. br.. 1-4-0101-0454	VTS kat. br.. 1-2-1204-2019	VTS kat. br.. 1-2-2702-0076	VTS kat. br.. 1-2-0393-1987
Tip motora EC	Tip motora EC	Konfiguracija kontakta NO	Napon napajanja ~230V/1ph /50Hz	Dužina 0,6-0,9 m	dimenzije 100x100x70mm
Napon napajanja ~230V/1ph /50Hz	Napon napajanja ~230V/1ph /50Hz	Snaga uključjenja 500 mA	Otvaranje 3/3 min</		

WING



Coca Cola Arena


Dubai, UAE

VOLCANO



Green Plantations

Piaseczno, Poland



IKEA

Poznan, Poland



Claas factory


Woippy, France

Konkurentna
\$CIJEN
A

VISOKI
KVALITET


PREKO
1 000 000
PRODANIH
JEDINICA

EH CAD ALAT ODABIRA-PRORAČUNA



Dubai Expo Pavilions

Dubai, UAD



Daxing Airport

Beijing, China

VTS Plant Sp z o.o. | Olivia Tower, Al. Grunwaldzka 472A | 80-309 Gdańsk, Poland | marketing@vtsgroup.com


www.vtsgroup.com

The features mentioned are subject to continuous upgrades and can change any time.
VTS assuring continuous improvement for products and data and reserves the right to change design and specifications without notice.



WING

ZRAČNE ZAVJESE
2022



www.vtsgroup.com